

规格承认书

Specification for approval

产品名称: FLF-S 方形母插件慢熔汽车保险丝

Product Type: Color-coded Molded Plastic Housing Square

Shape Time Delay Car Fuse Link 50Amp 32V Red For Nissan

Automotive

Ao littel Technology Co.Ltd.

Bld. 16,Yanhe East Road,Xiangdong Village, Dongguan 523833,
Guangdong,China

H.P.: 1371362419

Fax #:0769-89390418

QQ #: 3217998702

Email : eric.lye@aolittel.com

<http://www.passivemall.com/>

<http://www.aolittel.com/>

1. Scope

Color-coded Molded Plastic Housing Square Shape Time Delay Car Fuse Link 50Amp 32V Red For Nissan Automotive, made of Brass,nylon with glass fiber/PC,ceramic . Slow-Blow speed with high interrupting capacity 1000A@32VDC, wide temperature range -40-125C, 50A 32V, manufacturing standard : JASO D612,ISO 8820-4,QC/T 420 .









2. Specifications

Slow-Blow Auto Fusible Link	
Voltage Rating : DC32V or less	
Interrupting Rating:	1000A @32VDC
Material	1. Brass 2. Nylon With Glass Fiber / PC 3. Ceramic
Standard	Complies with JASO D612,ISO 8820-4,QC/T 420
Operating Temperature Range	-40 C to +125 C

3. Time-Current Characteristics

Test Current	Opening Time	
	Min.	Max.
110%	4 hrs.	---
150%	30 s	3600 s
200%	5 s	100 s
350%	0.2 s	7 s
600%	0.04 s	1 s

4. Electrical Performances

Item No.	Ampere	Color
FLF-S 20	20 A	
FLF-S 30	30 A	
FLF-S 40	40 A	
FLF-S 50	50 A	
FLF-S 60	60 A	
FLF-S 70	70A	
FLF-S 80	80A	
FLF-S 100	100A	

5. Dimension (mm)

